COOLER/FREEZER TEMPERATURE & SANITIZER LOGBOOK

LOCATION: _____ WEEK OF _____ TO_____

Temperature Range: 1.7 To 3.9°C (Fridge) -18°C or Below (Freezer)Note: If temperature is outside acceptable limits, INFORM MANAGEMENT IMMEDIATELY AND FILL IN WHAT CORRECTIVE ACTION WAS TAKEN SANITIZER: 200PPM Quaternary ammonium 100PPM Bleach sanitizer (quats)

COOLER/FREEZER NAME	MONDAY			TUESDAY			WEDNESDAY			THURSDAY			FRIDAY			SATURDAY			SUNDAY		
	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3	Check #1	Check #2	Check #3
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					
CORRECTIVE ACTION																					